

## AHRQ Series on Complex Intervention Systematic Reviews - Paper 2

Kelly, Michael P; Noyes, Jane; Kane, Robert L; Chang, Christine; Uhl, Stacey; Robinson, Karen A; Springs, Stacey; Butler, Mary E; Guise, Jeanne-Marie

### Journal of Clinical Epidemiology

DOI:

[10.1016/j.jclinepi.2017.06.012](https://doi.org/10.1016/j.jclinepi.2017.06.012)

Published: 01/10/2017

Peer reviewed version

[Cyswllt i'r cyhoeddiad / Link to publication](#)

*Dyfyniad o'r fersiwn a gyhoeddwyd / Citation for published version (APA):*

Kelly, M. P., Noyes, J., Kane, R. L., Chang, C., Uhl, S., Robinson, K. A., Springs, S., Butler, M. E., & Guise, J.-M. (2017). AHRQ Series on Complex Intervention Systematic Reviews - Paper 2: Defining Complexity, Formulating Scope and Questions. *Journal of Clinical Epidemiology*, 90(October), 11-18. <https://doi.org/10.1016/j.jclinepi.2017.06.012>

#### Hawliau Cyffredinol / General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

#### Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Accepted Manuscript

AHRQ Series on Complex Intervention Systematic Reviews – Paper 2: Defining Complexity, Formulating Scope and Questions

Michael P. Kelly, Senior Visiting Fellow, Jane Noyes, Robert L. Kane, Christine Chang, Associate Director, Stacey Uhl, Senior Research Analyst, Karen A. Robinson, Director, Stacey Springs, Mary E. Butler, Jeanne-Marie Guise, Associate Director

PII: S0895-4356(17)30631-5

DOI: [10.1016/j.jclinepi.2017.06.012](https://doi.org/10.1016/j.jclinepi.2017.06.012)

Reference: JCE 9426

To appear in: *Journal of Clinical Epidemiology*

Received Date: 5 November 2015

Revised Date: 10 May 2017

Accepted Date: 8 June 2017

Please cite this article as: Kelly MP, Noyes J, Kane RL, Chang C, Uhl S, Robinson KA, Springs S, Butler ME, Guise J-M, AHRQ Series on Complex Intervention Systematic Reviews – Paper 2: Defining Complexity, Formulating Scope and Questions, *Journal of Clinical Epidemiology* (2017), doi: 10.1016/j.jclinepi.2017.06.012.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**AHRQ Series on Complex Intervention Systematic Reviews – Paper 2: Defining Complexity, Formulating Scope and Questions**

Michael P Kelly<sup>a</sup>, Jane Noyes<sup>b</sup>, Robert L Kane<sup>c</sup>, Christine Chang<sup>d</sup>, Stacey Uhl<sup>e</sup>, Karen A Robinson<sup>f</sup>, Stacey Springs<sup>g</sup>, Mary E Butler<sup>h</sup>, Jeanne-Marie Guise<sup>i</sup>

<sup>a</sup>Senior Visiting Fellow, Primary Care Unit, Institute of Public Health, University of Cambridge, Cambridge, United Kingdom.

<sup>b</sup>School of Social Sciences, Bangor University, United Kingdom

<sup>c</sup>Minnesota Chair in Long-term Care and Aging, Professor University of Minnesota School of Public Health. Director, Minnesota Evidence-based Practice Center.

<sup>d</sup>Associate Director, AHRQ's Evidence-based Practice Center Program, Rockville, MD

<sup>e</sup>Senior Research Analyst, ECRI Institute, Plymouth Meeting, PA

<sup>f</sup>Director, Johns Hopkins University Evidence-based Practice Center, Baltimore, MD

<sup>g</sup>Center for Evidence Based Medicine, Brown University School of Public Health, Providence, RI

<sup>h</sup>University of Minnesota School of Public Health, Minnesota Evidence-based Practice Center

<sup>i</sup>Associate Director, Scientific Resource Center for the AHRQ Effective Health Care Program and Vice Provost & Professor, Division of Maternal Fetal Medicine, Department of Obstetrics & Gynecology, Department of Public Health & Preventive Medicine, Department of Medical Informatics & Clinical Epidemiology, Department of Emergency Medicine, Oregon Health & Science University, Portland, Oregon

**Corresponding Author:** Professor Michael P Kelly PhD, Hon FRCP, FRCPE, FFPH, Senior Visiting Fellow, Primary Care Unit, Institute of Public Health, University of Cambridge, CB2 0SR, United Kingdom

**Word Count:** 3,064

**Key Words:** complex interventions, evidence-based medicine, review literature as topic, systematic review, qualitative research, research design

**Acknowledgements:** The authors wish to thank Karen Lee, Aysegul Gozu, and Elise Berliner for participating in calls and providing AHRQ background materials, Evan Myers for providing ideas at the in-person Complex Interventions meeting, Karli Kondo and Kelly Vander Ley for their assistance with planning the in-person conference, and Makalapua Motu'apuaka for coordinating all workgroup activities and for her tireless work on all documents and workgroup activities; we could not have done this without you!

**Financial Support:** This work was funded by the following contract HHS290201200004C

**Declaration of Interest:** The authors have no conflicts of interest to report. The authors alone are responsible for the content and writing of the paper. This project was funded under Contract No. HHS290201200004C from the Agency for Healthcare Research and Quality, U.S. Department of Health and Human Services. The authors of this report are responsible for its content. Statements in the report should not be construed as endorsement by the Agency for Healthcare Research and Quality or the U.S. Department of Health and Human Services.

**Abstract**

**Background:** The early stages of a systematic review set the scope and expectations. This can be particularly challenging for complex interventions given their multi-dimensional and dynamic nature.

**Rationale:** This paper builds on concepts introduced in Paper 1 of this series. It describes the methodological, practical and philosophical challenges and potential approaches for formulating the questions and scope of systematic reviews of complex interventions. Further it discusses the use of theory to help organize reviews of complex interventions.

**Discussion:** Many interventions in medicine, public health, education, social services, behavioral health, and community programs are complex, and they may not fit neatly within the established paradigm for reviews of straight-forward interventions. This paper provides conceptual and operational guidance for these early stages of scope formulation to assist authors of systematic reviews of complex interventions.

## I. Introduction

This is the second of a seven-part series of papers providing tools and approaches for conducting reviews of complex interventions. This paper focuses on the initial stages of a review on complex interventions which involve understanding whether and how the review topic is complex, methods and approaches to generating and refining review questions without oversimplifying, and introduces novel approaches to exploring complexity such as scoping the reviews and use of theories as a potential organizational approach for complex interventions.

Conventional methods of systematic review have been developed and tested over time, and offer a reliable and consistent way to evaluate the evidence for medical tests and treatments. However, when applied to complex interventions that depend on multiple factors and changes, these systematic review methods may unintentionally oversimplify the complex nature of the intervention; especially those involving multiple-components or which are implemented across multiple settings.<sup>1</sup> In order to provide a relevant and useful assessment of the evidence, systematic reviews of complex interventions need to consider how the complex nature of an intervention affects the outcomes of that intervention. This paper offers guidance on how to frame a systematic review on complex interventions, particularly on formulating the scope and key questions. Specifically, we describe points to consider *prior* to undertaking a systematic review in which the topic of interest involves interventions, contexts, human behaviors, outcomes, or mechanisms of action that might be described as complex. Problem formulation in the context of a systematic review of complex interventions is an iterative and emergent *process* that requires careful articulation prior to the literature-review. At all points in the process the activities described are team activities and involve joint decision making. Examples are given from Cochrane and the US Evidence-based Practice Centers program to help the reader understand how these concepts can be applied to reviews.

## II. Determining whether and how the review topic and questions are complex

Defining the complexity of the area of interest is the initial step in understanding the topic and developing the key questions to be addressed in the review. Interventions that involve human behavior and interactions in organizations and institutions or that are about policy are typically complex.<sup>1</sup>

Complexity has been defined in various ways.<sup>2,3</sup> A consolidated definition for complex interventions and a ‘rule of thumb’ for when to consider a topic complex is proposed by the first paper of this series.<sup>4</sup> The definition is included in this paper as well for clarity as this paper elaborates on the definition and guidance.

### Definition of Complex Interventions<sup>4</sup>

All complex interventions have two common characteristics; they have multiple components (**intervention complexity**) and complicated/multiple causal pathways, feedback loops, synergies, and/or mediators and moderators of effect (**pathway complexity**). Additionally they may also have one or more of the following three additional characteristics; target multiple participants, groups, or organizational levels (**population complexity**); require multifaceted adoption, uptake, or integration strategies (**implementation complexity**); or work in a dynamic multi-dimensional environment (**contextual**

complexity).

Complexity may occur in the following overarching domains: intervention, pathway, population, implementation, and context.<sup>5</sup> Complexity may result when an intervention involves multiple components and internal arrangements.<sup>3</sup> It may reflect treatment heterogeneity. It also occurs when the intervention depends on a variety of contextual or environmental factors, takes place in a complex population, health system, organizational, or institutional setting, or requires iterative flexibility or tailoring of the intervention to adapt to changing environmental or other contextual conditions. Clarifying how these externalities influence the outcome is critical to developing a comprehensive understanding of the causal pathways that will guide the review questions and subsequent steps of the systematic review. Below, we distinguish interventional complexity from implementation and contextual complexity.

*Interventional complexity* refers to situations in which the effects of an intervention are expected to be modified by characteristics of the intervention itself.<sup>5</sup> It may involve interacting components in the intervention and/or control. In complex systems, what constitutes an intervention may be vague. In public health, for example, interventions for smoking cessation,<sup>3</sup> slum-upgrading,<sup>4</sup> preventing alcohol misuse,<sup>6</sup> preventing excess winter deaths,<sup>7</sup> the integration of mental health treatment and primary care,<sup>8,9</sup> and early childhood education programs,<sup>10</sup> may involve an array of different actions that may be taken simultaneously and at multiple levels (individual and community for example).

*Implementation complexity*<sup>5</sup> describes how the effects of an intervention or responses to it may be modified by implementation processes. For example, the intervention may require multifaceted adoption, uptake, or integration strategies and factors such as administrative support and payment mechanisms may need to be altered to the ease of implementation of a new process.<sup>11</sup>


*Contextual complexity*, a closely related concept, refers to the characteristics of the settings or contexts where the intervention is implemented. For example, the integrated care approach for mental health in primary care noted earlier, was more easily implemented in situations where medical and mental health professionals had a history of collaboration.<sup>8,9</sup>

In contrast, *population complexity* occurs when intervention effects are modified by variant characteristics of the participants (individuals, groups, or organizations) receiving the intervention;<sup>5</sup> these may involve physical conditions such as co-morbidities or social factors. For example, patient-level literacy or numeracy issues affecting medication adherence<sup>12</sup> or socioeconomic differences affecting smoking cessation interventions.<sup>13</sup> Interactions between variables affiliated with two or more distinct dimensions of the intervention need to be addressed.<sup>3,5,14-19</sup>

### III. Formulating the Questions: Engaging stakeholders to understand the complexities of a topic

Engaging stakeholders, people who will use, be affected by, or have an interest in the topic of the evidence review, is an important step in improving the relevance and usefulness of any systematic review. For this reason, many programs that produce systematic reviews now engage stakeholders early in the process of conducting a review. Reviewers from the Agency for Healthcare Research and Quality's (AHRQ) Evidence-based Practice Center (EPC) Program for example, develop systematic reviews for clinicians, consumers, and policymakers while routinely engaging stakeholders across the spectrum of the Program's activities; including the selection of topics for systematic review and systematic review development (Figure 1). Stakeholders may include people with expertise in delivering the complex intervention, and their knowledge and skills will also be drawn upon at all phases of the work.

**Figure 1: Engagement of Stakeholders in the US Evidence-based Practice Center Program**



Investigators are guided by principles described in Program guidance documents to ensure a balanced, unbiased, and rigorous process. AHRQ provides guidance and educational modules for the selection and engagement of stakeholders spanning nomination, development, review and future research.<sup>20-23</sup> This process has been traditionally depicted as a linear one, though it does in reality encompass iterative engagement with stakeholders (Figure 2). This engagement process can add new dimensions to a topic and is particularly important for complex topics. The EPC Program engaged individuals of diverse perspectives to prioritize research gaps identified in a comparative effectiveness review on medications to reduce the risk of breast cancer.<sup>24</sup> This group was interested in a range of interventions beyond medications such as diet, behavioral changes, and physical activity; a significant emphasis was placed on contextual influences including

family, environment, economic, education, social, and health system influences. Further, an AHRQ white paper addressed the benefits of stakeholder engagement in the systematic review process.<sup>25</sup> The white paper asked a number of EPC directors about the benefit of stakeholder engagement in their work, these added dimensions are described in Exhibit 1.

**Exhibit 1: Engaging stakeholders throughout the systematic review process**

Stakeholder involvement early in the review process leads to a better “understanding [of] the context and history of a given topic, including areas of scientific uncertainty or debate and politically charged or ‘hot button’ issues from a consumer or advocacy perspective.” Some directors described “instances when stakeholders were able to uncover ‘blind spots’ including issues of current debate or concern that impacted what questions were asked or how the report’s findings were communicated.”<sup>25</sup>

Explicitly incorporating complexity into the topic scope and stakeholder discussions may prevent oversimplification of the topic area and review questions, and ensure a shared understanding of the breadth and depth of review most helpful for the end-user. Reviewers assessing complex interventions may require broad and deep engagement with a variety of stakeholders to understand complexity, the utilization of different methods of engagement to communicate complexity clearly, and provision of specific information outlining complexity to elicit and inform stakeholder input on the scope of the review. Communicating complexity in a way that elicits helpful input may require reviewers to consider how and where different stakeholder perspectives may be informative. In a review on teenage pregnancy prevention, for example, the reviewers created an *a priori* knowledge map (sometimes referred to as a scoping review) to understand the facets of complexity to describe the streams of evidence for effectiveness, risk factors and effect modifiers, implementation, acceptability, contextual factors, and barriers and facilitators to uptake of interventions (see Box below for brief definitions). This mapping exercise, in addition to informing the review, was used to engage with the advisory group, including stakeholders in the field, on the areas of focus and further investigation, refinement, and prioritization in the subsequent review.<sup>26</sup> Guidance on the production of knowledge maps is available from the EPPI-Centre, London.<sup>27,28</sup>

**Glossary of Terms**

**Knowledge Mapping/Scoping Review** – Reports a wide search for evidence on a topic to demonstrate the amount and type of evidence. The purpose is to look for what is published from which you can generate more specific review questions. This has also been referred to by some as an evidence inventory.<sup>29,30</sup>

**Logic models** - “A logic model is a graphic description of a system and is designed to identify important elements and relationships within that system.”<sup>31</sup>


**IV. Scoping complex interventions: Organizing without oversimplifying**

The process of scoping the review requires a different way of thinking. Formulating questions within the context of a systematic review typically begins with a broad overarching topic that is then gradually focused into more precise problem formulation, using input from stakeholders and the literature base. That is, review questions are scoped through gradual and iterative stages, with input from the literature, stakeholders, and the content expertise of the review team. In scoping

decisions, the review team may consider issues including fidelity to the intent of the original question, feasibility of a systematic review, responsiveness to stakeholder input, and relevance to the intended end-user.<sup>32</sup>

However, a different way of thinking about question formulation that goes beyond the standard approach of conventional systematic reviewing is required for complex interventions. Approaches such as a mapping/scoping review and the use of theory may assist in articulating complexity during the question formulation process (Figure 2).<sup>33</sup> A mapping/scoping review can be used to map (but not systematically review) the literature in a field at the outset. A knowledge map can be helpful in determining the amount and type of evidence available and the different types of interventions. Some interventions are targeted at whole populations, some at communities, and others at neighborhoods or family settings; they are not just about outcomes or effects in individuals.

**Figure 2: Approach to scope formulation for Systematic Reviews of Complex Interventions**



In complex interacting systems, causal pathways involve integrated biological, psychological and social mechanisms.<sup>34</sup> As current interest moves on to include not only ‘what works’ but also to ‘what happens’ when an intervention is implemented,<sup>35</sup> a more flexible approach to conceptualizing the review scope, question(s) and the review design<sup>36</sup> is required. Text-mining techniques, which use computer learning to aid in the retrieval and distillation of information from unstructured text, may be useful at this stage.<sup>32</sup> Other techniques such as automatic term recognition, document clustering, automatic document classification, and document summarization can help to speed the process of identifying relevant literature and recognizing

emergent patterns and relationships in the literature.<sup>37</sup> The iCAT\_SR tool has been designed to help reviewers categorize intervention complexity as a typology that can be used to visually map intervention complexity to gain a more detailed understanding to support data extraction and data interpretation.<sup>38,39</sup>

## Use of theory

Social and epidemiologic theories can be especially helpful in delineating core components of a multicomponent intervention, and defining the nature of interacting components.<sup>40</sup> The Cochrane Collaboration has produced guidance on the selection and use of social theories in reviews of complex interventions that reviewers can use as a resource.<sup>40</sup> Theory can aid in understanding how contextual factors, such as the physical, social, and economic environment can affect an intervention's success. Theory can also help reviewers think beyond the usual clinical and socio-demographic patient level characteristics to include organizational, cultural and psychosocial factors.<sup>31,41</sup> Finally, theory can be used to help identify interactions between the different dimensions of complexity (Exhibit 2).

### **Exhibit 2: Social theories successfully used to identify parameters in systematic reviews of complex interventions<sup>31</sup>**

An example of a Cochrane protocol for a mixed-methods review that incorporates social theory to develop the review parameters, phenomenon of interest and questions is: 'Exercise for chronic hip and knee pain'.<sup>42</sup> Detailed logic models are commonly used to show diagrammatically the causal pathway and interactions and required behaviors between components, people and the health system. The team developed *a priori* logic models, (which are discussed in Paper 3 of this series<sup>43</sup>) using their experiential knowledge, previous research and integration of key concepts and models from literature to explore the complex, reciprocal relationship between pain, physical and psychosocial functioning, social support, rehabilitation, and a second model explored the effects of erroneous health beliefs on participation in exercise programmes. Their initial proposition was that people's reactions to pain are highly variable and influenced by the beliefs, meanings and explanations they attach to it. They subsequently interpreted evidence using the logic models to better understand these complex behavioral responses to interventions.

Another example of the development of theory throughout the review to focus the interpretation of evidence is reported by the review team who undertook the Cochrane slum upgrading review. They convened an expert advisory group to develop an initial logic model (theory) and identify the parameters of what constituted slum upgrading, together with outcomes, impacts and phenomena of interest such as what happens when multiple slum upgrading interventions are implemented together.<sup>44,45</sup> Patient reported outcomes are measured with instruments whereas patient reported impacts are less tangible and usually captured through interviews (such as feeling less frightened). The logic model was then further developed over the course of the review as a mid-range theory as to how slum upgrading interventions worked in combination to improve the lives of slum dwellers.

## V. Refining the review questions

It is important to resist the temptation to over simplify when formulating questions. For reviews of clinical interventions, refining the effectiveness question by using the PICO (Population, Intervention, Comparator, Outcomes) framework typically provides sufficient guidance for searching the literature.<sup>43,46</sup> The basic principle is that the review question has to be defined in advance. It can be challenging, however, to set review questions and conduct reviews as application of systematic approaches to reviewing the evidence for complex interventions moves beyond clinical medicine. The nature of interactions involved within the empirical areas of interest and the diverse methods used to collect primary data in them require alternative approaches.

Outlining a definitive question or questions *a priori* will often not suffice when dealing with complexity.<sup>47</sup> The question(s) with which the work begins should seldom be reduced to “is X effective?” as “X” is frequently a multitude of different things. Complex intervention review questions must go beyond assessing whether or not an intervention works, to interrogating which components are essential, how and why an intervention works, for whom an intervention works or does not work, and under what circumstances an intervention works or not.<sup>36</sup> When preparing to search for and review evidence about complex interventions, questions must be iteratively refined as the complexity is elaborated and the evidence is explored. Inputs from stakeholders and the use of theory, as described above, can contribute to this process by providing guidance on relevant or important types of complexity to enhance the usefulness and feasibility of a systematic review.

All of this is important because the *a priori* determination of the question(s) is not value neutral. The nature of the questions determines the kinds of evidence that will be searched for and indeed what can be considered as evidence at all. If the questions are wrong, or only partially right, the evidence that comes to light will almost certainly be only partially relevant to the complexity of the problem under consideration. It is important not to assume in advance that the kinds of evidence relevant to the problem and the methods used to produce it are already well understood. Instead, with complexity, judgement is required to interpret the emerging questions and the kinds of evidence needed to answer them.<sup>48</sup> The assumption that we know in advance what the relevant evidence is and have confidence in the methods used to find and evaluate it is true so long as there is a direct linear pathway between intervention and outcome, that pathway is short, that all confounding factors can be known and controlled for, and that the relationship between the dependent and the independent variables are real.<sup>34,48</sup> However, in complex interventions (especially social and organizational systems), binary linear relationships between single dependent and independent variables can exist only as analytic abstractions or simplified models, which cannot faithfully represent these complex multifaceted interacting systems.<sup>36</sup>

## VI. Conclusions

Systematic reviews of complex interventions require substantial adaptation of conventional review methods, including the use of additional methods that incorporate different types of diverse evidence. The current process for scope formulation in traditional reviews has largely been conceived as a linear process with discrete phases. When conducting reviews of complex interventions, considerable effort needs to be frontloaded into the process to allow for the

emergence of clear research questions to guide the review(s). This may require an approach that is more iterative and explicitly explores complexity in the literature and with stakeholders. This involves clarifying complexity and articulating which elements are complex (the intervention, its implementation, its setting and so on). In clarifying causal pathways it may be helpful to use knowledge mapping and technologies such as text mining as innovative approaches to mapping the literature during problem formulation. Reviewers should consider the input of stakeholders and expert advisers, theory, and evidence mapping in the process of determining the review's scope. New methods and strategies for communicating and framing complexity may be needed to elicit informed and relevant stakeholder input. Above all, reviewers should resist the temptation of simple linear models, which can distort the reality under consideration and affect the relevance and usefulness of the review.

## References

1. Kelly M, Morgan A, Ellis S, Younger T, Huntley J, Swann C. Evidence based public health: a review of the experience of the National Institute of Health and Clinical Excellence (NICE) of developing public health guidance in England. *Social science & medicine*. 2010;71(6):1056-1062.
2. Guise J-M, Chang C, Viswanathan M, et al. Agency for Healthcare Research and Quality Evidence-based Practice Center methods for systematically reviewing complex multicomponent health care interventions. *Journal of Clinical Epidemiology*. 2014;67(11):1181-1191.
3. Petticrew M, Anderson L, Elder R, et al. Complex interventions and their implications for systematic reviews: a pragmatic approach. *Journal of Clinical Epidemiology*. 2013;66(11):1209-1214.
4. Guise JM, Chang C, Butler M, Viswanathan M, Tugwell P. AHRQ series on complex intervention systematic reviews – Paper 1: An introduction to a series of papers provides guidance and tools for reviews of complex interventions. *Journal of Clinical Epidemiology*. In Press. 2017.
5. Noyes J, Gough D, Lewin S, et al. A research and development agenda for systematic reviews that ask complex questions about complex interventions. *Journal of Clinical Epidemiology*. 2013;66(11):1262-1270.
6. National Institute for Health and Care Excellence. Alcohol-use disorders: preventing harmful drinking. *NICE public health guidance 24*. 2010.
7. National Institute for Health and Care Excellence. Excess winter deaths and morbidity and the health risks associated with cold homes. *NICE guideline*. 2015.
8. Butler M, Kane RL, McAlpine D, et al. Does integrated care improve treatment for depression?: a systematic review. *The Journal of ambulatory care management*. 2011;34(2):113-125.
9. Butler M, Kane RL, McAlpine D, et al. Integration of mental health/substance abuse and primary care. Rockville (MD): Agency for Healthcare Research and Quality (US); 2008 Oct. (Evidence Reports/Technology Assessments, No. 173.)  
[www.effectivehealthcare.ahrq.gov/reports/final.cfm](http://www.effectivehealthcare.ahrq.gov/reports/final.cfm).
10. Kay N, Pennucci A. Early childhood education for low-income students: A review of the evidence and benefit-cost analysis (Doc. No. 14-01-2201). *Olympia: Washington State Institute for Public Policy*. 2014.
11. Grol R. Successes and failures in the implementation of evidence-based guidelines for clinical practice. *Medical care*. 2001;39(8):II-46-II-54.
12. National Collaborating Centre for Primary Care. Medicines adherence: Involving patients in decisions about prescribed medicines and supporting adherence. 2009.
13. National Institute for Health and Care Excellence. Identifying and supporting people most at risk of dying prematurely. *NICE public health guidance 15*. 2008.
14. Anderson LM, Oliver SR, Michie S, Rehfuss E, Noyes J, Shemilt I. Investigating complexity in systematic reviews of interventions by using a spectrum of methods. *Journal of Clinical Epidemiology*. 2013;66(11):1223-1229.
15. Anderson LM, Petticrew M, Chandler J, et al. Introducing a series of methodological articles on considering complexity in systematic reviews of interventions. *Journal of Clinical Epidemiology*. July 2013;66(11):1205.
16. Burford B, Lewin S, Welch V, Rehfuss E, Waters E. Assessing the applicability of findings in systematic reviews of complex interventions can enhance the utility of reviews for decision making. *Journal of Clinical Epidemiology*. 2013;66(11):1251-1261.
17. Petticrew M, Rehfuss E, Noyes J, et al. Synthesizing evidence on complex

- interventions: how meta-analytical, qualitative, and mixed-method approaches can contribute. *Journal of Clinical Epidemiology*. June 2013;66(11):1230-1243.
18. Pigott T, Shepperd S. Identifying, documenting, and examining heterogeneity in systematic reviews of complex interventions. *Journal of Clinical Epidemiology*. 2013;66(11):1244-1250.
  19. Squires JE, Valentine JC, Grimshaw JM. Systematic reviews of complex interventions: framing the review question. *Journal of Clinical Epidemiology*. 2013;66(11):1215-1222.
  20. Guise J-M, O'Haire C, McPheeters M, et al. A practice-based tool for engaging stakeholders in future research: a synthesis of current practices. *Journal of Clinical Epidemiology*. 2013;66(6):666-674.
  21. Buckley D, Ansari M, Butler M. The Refinement of Topics for Systematic Reviews: Lessons and Recommendations From the Effective Health Care Program [Internet]. 2013.
  22. Eder M, Feightner A, Webber E, Guirguis-Blake J, Whitlock EP. Developing and Selecting Topic Nominations for Systematic Reviews. 2012.
  23. Agency for Healthcare Research and Quality. AHRQ Training Modules for the Systematic Reviews Methods Guide. *Methods Training Materials* <http://effectivehealthcare.ahrq.gov/index.cfm/tools-and-resources/slide-library/#slidetrainingmodules>, 2015.
  24. Guise J-M, Nakamoto EK, LaBrant L, et al. Future Research Needs To Reduce the Risk of Primary Breast Cancer in Women. 2010.
  25. Cottrell E, Whitlock E, Kato E, et al. Defining the Benefits of Stakeholder Engagement in Systematic Reviews. 2014.
  26. Whitaker R, Hendry M, Booth A, et al. Intervention Now To Eliminate Repeat Unintended Pregnancy in Teenagers (INTERUPT): a systematic review of intervention effectiveness and cost-effectiveness, qualitative and realist synthesis of implementation factors and user engagement. *British Medical Journal*. 2014;4(4):e004733.
  27. The Evidence for Policy and Practice Information and Co-ordinating Centre. EPPI-Centre. <http://eppi.ioe.ac.uk/cms/>, 2015.
  28. Clapton J, Rutter D, Sharif N. SCIE Systematic mapping guidance. *London: SCIE*. 2009.
  29. Hartling L, Guise J, Kato E, et al. EPC Methods: An Exploration of Methods and Context for the Production of Rapid Reviews. Research White Paper. (Prepared by the Scientific Resource Center under Contract No. 290-2012-00004-C.) AHRQ Publication No. 15-EHC008-EF. Rockville, MD: Agency for Healthcare Research and Quality; February 2015. [www.effectivehealthcare.ahrq.gov/reports/final.cfm](http://www.effectivehealthcare.ahrq.gov/reports/final.cfm). 2015.
  30. Hartling L, Guise J-M, Kato E, et al. A taxonomy of rapid reviews links report types and methods to specific decision-making contexts. *Journal of Clinical Epidemiology*. 2015;68(12):1451-1462. e1453.
  31. Anderson LM, Petticrew M, Rehfuss E, et al. Using logic models to capture complexity in systematic reviews. *Research Synthesis Methods*. 2011;2(1):33-42.
  32. Buckley DI, Ansari MT, Butler M, Soh C, Chang CS. The refinement of topics for systematic reviews: lessons and recommendations from the Effective Health Care Program. *Journal of Clinical Epidemiology*. 2014;67(4):425-432.
  33. Kelly M, Stewart E, Morgan A, et al. A conceptual framework for public health: NICE's emerging approach. *Public health*. 2009;123(1):e14-e20.
  34. Kelly MP, Kelly RS, Russo F. The Integration of Social, Behavioral, and Biological Mechanisms in Models of Pathogenesis. *Perspectives in biology and medicine*. 2014;57(3):308-328.

35. Petticrew M. Time to rethink the systematic review catechism? Moving from 'what works' to 'what happens'. *Systematic reviews*. 2015;4(1):36.
36. Pawson R. *Evidence-based policy: A realist perspective*. Sage publications; 2006.
37. Thomas J, McNaught J, Ananiadou S. Applications of text mining within systematic reviews. *Research Synthesis Methods*. 2011;2(1):1-14.
38. Lewin S, Hendry M, Chandler J, Oxman AD. Improving understanding of intervention complexity: the Intervention Complexity Assessment Tool for Systematic Reviews (iCAT\_SR). 2013; <http://2013.colloquium.cochrane.org/abstracts/improving-understanding-intervention-complexity-intervention-complexity-assessment-tool-sy>. Accessed 2015.
39. Lewin S, Hendry M, Chandler J, et al. Guidance for using the iCAT\_SR: Intervention Complexity Assessment Tool for Systematic Reviews. Version 1.0. *Cochrane Methods*; 2016. Available at [http://methods.cochrane.org/sites/default/files/public/uploads/icat\\_sr\\_additional\\_file\\_4\\_2016\\_12\\_27.pdf](http://methods.cochrane.org/sites/default/files/public/uploads/icat_sr_additional_file_4_2016_12_27.pdf). 2016.
40. Noyes J, Hendry M, Booth A, et al. Current use and Cochrane guidance on selection of social theories for systematic reviews of complex interventions was developed. *Cochrane Methods Qualitative and Implementation. Journal of Clinical Epidemiology*. 2016;75:78-92.
41. Krieger N. *Epidemiology and the people's health: theory and context*. Oxford University Press; 2011.
42. Hurley M, Dickson K, Walsh N, et al. Exercise interventions and patient beliefs for people with chronic hip and knee pain: a mixed methods review. *The Cochrane Library*. 2013.
43. Butler M, Epstein RA, Totten A, et al. AHRQ series on complex intervention systematic reviews – Paper 3: Adapting frameworks to develop protocols. *Journal of Clinical Epidemiology. In Press*. 2017.
44. Turley R, Saith R, Bhan N, Doyle J, Jones K, Waters E. Slum upgrading review: methodological challenges that arise in systematic reviews of complex interventions. *Journal of public health*. 2013;35(1):171-175.
45. Turley R, Saith R, Bhan N, Rehfuess E, Carter B. Slum upgrading strategies involving physical environment and infrastructure interventions and their effects on health and socio-economic outcomes. *The Cochrane Library*. 2013.
46. Egger M, Smith GD, Altman D. *Systematic reviews in health care: meta-analysis in context*. John Wiley & Sons; 2008.
47. Paisley S, Levay P, Ananiadou S, Kelly M. Public health, policy and the evidence-based medicine paradigm: challenges and innovations in methods of searching, paper currently under consideration.
48. Kelly MP, Moore TA. The judgement process in evidence-based medicine and health technology assessment. *Social Theory & Health*. 2012;10(1):1-19.