



What should be in hospital doctors' continuing professional development?

Jones, Lorelei; Moss, Fiona

Journal of the Royal Society of Medicine

DOI:

[10.1177/0141076818808427](https://doi.org/10.1177/0141076818808427)

Published: 01/02/2019

Peer reviewed version

[Cyswllt i'r cyhoeddiad / Link to publication](#)

Dyfyniad o'r fersiwn a gyhoeddwyd / Citation for published version (APA):

Jones, L., & Moss, F. (2019). What should be in hospital doctors' continuing professional development? *Journal of the Royal Society of Medicine*, 112(2), 72-77.
<https://doi.org/10.1177/0141076818808427>

Hawliau Cyffredinol / General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Title: **What should be in continuing professional development for senior hospital doctors? Findings from a study using the nominal group technique**

Authors

Lorelei Jones
Lecturer
School of Healthcare Sciences
University of Bangor, LL57 2EF
lorelei.jones@bangor.ac.uk

Fiona Moss
Dean
Royal Society of Medicine
1 Wimpole St, Marylebone, London W1G 0AE
fiona.moss@rsm.ac.uk

Corresponding author: Lorelei Jones

Competing interests: Fiona Moss is Dean of the Royal Society of Medicine, a provider of continuing professional development for hospital doctors. Lorelei Jones declares no competing interests.

Funding: The research was funded by the Royal Society of Medicine. Lorelei Jones was supported by the National Institute for Health Research (NIHR) Collaboration for Leadership in Applied Health Research and Care North Thames at Bart's Health NHS Trust (NIHR CLAHRC North Thames). The views expressed in this article are those of the authors and not necessarily those of the Royal Society of Medicine, the NHS, the NIHR, or the Department of Health and Social Care. Lorelei Jones accepts full responsibility for the conduct of the study, had access to the data, and controlled the decision to publish.

Ethical approval: The research was exempt from NHS ethics processes.

Contribution: Lorelei Jones and Fiona Moss conducted the research and wrote the paper.

Acknowledgements: We thank our participants for their generosity, and two reviewers, Amy Price and Julie Morris, for helpful comments. Thanks also to Janice Livingston and Brioni Wilde for their help and support.

Summary

Objective: To ask those most affected by continuing professional development for senior doctors – patients, other professional groups and doctors themselves – what it needs to encompass.

Design: The nominal group technique. **Participants:** Six groups of between seven and nine members (n=449). Separate groups were held for nurses and therapists (n=9), patient representatives (n=8), medical directors (n=8), consultants (n=8) and medical trainees (n=47). An additional group consisted of ‘Darzi Fellows’ (n=9), trainee doctors who were undertaking a leadership fellowship.

Setting: Groups were held at the Royal Society of Medicine in London. **Main outcome measures:** Priorities for the content of continuing professional development for senior hospital doctors, ranked in order of importance. Themes derived from analysis of group discussions.

Results: We present the ranked priorities of different groups for what should be included in continuing professional development for senior hospital doctors. Analysis of group discussions identified the following three themes: developing and supporting the system of care; changes in the way medicine is practised; and personal wellbeing and caring for colleagues.

Conclusions: The implication of our findings for providers of continuing professional development is to consider the balance of content. Doctors and other healthcare professionals need to keep up with scientific advances and technical developments. But in addition, they need to be adept at working with the system changes required for translation of research into practice, the development of new ways of working, and for the organisational changes that underpin continual quality and safety improvement.

Keywords

Continuous professional development, quality improvement, doctor’s morale and wellbeing

Introduction

Throughout their career, doctors must continue to develop expertise and become proficient in the sometimes very rapidly changing technologies in their specialty. They must also keep up to date with advances in care more generally, and with developments in associated fields. In contemporary care settings, doctors are increasingly expected to work in teams, be involved in management, and design services in collaboration with patients.¹ Clinical leadership has been found to play a crucial role in quality improvement, both within organisations, and in wider systems of care.² Moreover, against the backdrop of unprecedented financial pressures on the NHS, fostering a culture of compassionate care requires that doctors nurture their own, and their colleagues', health and wellbeing.³ These changes in the context and practice of medicine have been incorporated into new understandings of what it means to be a doctor, for example, the Royal College of Physicians has redefined medical professionalism for the 21st century as 'multiple commitments – to the patient, to fellow professionals, and to the institution or system within which healthcare is provided.'⁴

In order to meet these challenges, continuing professional development (CPD) must evolve. In this study we asked those most affected by CPD for senior hospital doctors – patients, other professional groups, and doctors themselves, what it needs to encompass. We used the nominal group technique³ to ask 'what should be in CPD for senior hospital doctors?' Our aim was to initiate and inform discussion, debate, and development of future CPD for senior hospital doctors.

Methods

The nominal group technique⁵ is a form of focus group that allows a wide range of ideas on a subject to be expressed and collated with a view to establishing consensus and identifying priorities. Unlike conventional 'brainstorming' sessions, in the early stages the participants work in the presence of one another but do not interact. Therefore the group is 'nominal' in the sense of being a group in name only. The benefit of the nominal group technique is its ability to foster creativity. A broader range of ideas are generated and participants feel less inhibited than in other approaches as the technique prevents a single idea, or a charismatic personality, dominating discussion. The technique is also orientated to prioritising and ranking ideas so that information is gleaned on the relative importance of different ideas to individuals and groups.

Group composition

Six groups of between 7 and 9 members (n=49) were held between February and June 2016. Separate groups were held for nurses and therapists (n=9); patient representatives (n=8); medical directors (n=8); consultants (n=8); and medical trainees (n=7). One group consisted of ‘Darzi Fellows’ (n=9), trainee doctors who were undertaking a clinical leadership fellowship (Darzi Fellowship). Members of the medical trainee group were in the specialist registrar grade. Clinical participants came from different hospitals in England, and from a range of specialties, including general medicine, surgery, psychiatry, obstetrics and gynaecology, anaesthetics, general practice and public health. Participants were recruited from databases held by the Royal Society of Medicine and through organisations that coordinate patient involvement in health research. FM emailed an invitation to participate in the study and places were allocated on a ‘first come first served’ basis.

Procedure

We adopted a slightly modified form of the technique as follows:

Step 1. *Welcome and introduction.* Participants were offered refreshments and welcomed to the meeting and introduced to other participants and to the research team. The question for nominal group was displayed on a power point slide, together with a description of the procedure and ‘rules’ for the session. We asked a single question – ‘what should be in consultant CPD?’.

Step 2. *Silent generation of ideas.* Participants were given 15 minutes to list as many responses to the question as possible. Silence was enforced during this stage, if necessary, by the facilitator requesting that participants who have finished the task do not distract others still working.

Step 3. ‘Round Robin’ listing of ideas on a flip chart

At the end of 15 minutes the facilitator asked each participant, one at a time, to share one item from their list. The facilitator wrote the item on a flip chart in the exact words used by the participant. The focus during this stage was on listing ideas, without discussion. Participants were asked to omit ideas that had previously been given, if they were identical, but invited to contribute a variation on a theme. Participants could ‘hitch hike’ on other people’s ideas by adding additional items to their lists that had been inspired by something another participant had said. This process continued until all participants had exhausted their individual lists. The average number of ideas generated during this phase was 70 (range 56-97).

Step 4. Discussion of ideas on the flip chart

After all ideas were recorded on the flip chart the facilitator led a discussion of the ideas now in front of the group in writing. The purpose of the discussion was to clarify, elaborate or illustrate the ideas in

order to generate additional qualitative data. This was descriptive, rather than analytical, in that there was no attempt to collapse ideas into categories.

Step 5. Ranking priorities

In the final stage participants were asked to list, in order of importance, their own individual top ten priorities for consultant CPD and to submit these anonymously to the facilitator. Participants were then thanked for their time, given information about the next stage of analysis and offered closing refreshments. Each group lasted for approximately two hours.

Analysis and generation of a group ranking

Individual rankings were entered into an XL spreadsheet and LJ scored them by allocating a score to each priority from 10 (most important) to 1 (least important). Scores were then summed and the top ten highest scoring priorities were used to form an overall 'group ranking' (table 1). Additional analysis identified themes from the full lists of ideas and group discussion.

Results

The ranking of the different groups are given in table 1. Analysis of the full lists of ideas and group discussion identified the following three themes: (1) developing and supporting the system of care; (2) changes in the way medicine is practiced; (3) personal wellbeing and caring for colleagues.

Developing and supporting the system of care

While updates and training in clinical skills and techniques remained important to the doctors in our study, the suggestions from the medical groups reflected the additional roles that make up a career as a consultant, especially teaching and management. It was clear during the group sessions involving doctors that they feel a sense of responsibility that extends beyond direct patient care to the wider healthcare system. A priority for participants in the medical groups was not just providing care, but improving it. And many showed an interest in developing services that were better suited to present and future healthcare needs. At the same time participants were cognizant of the challenging financial and policy environment, often requesting to have training in business planning, designing appropriate metrics, and in collecting and publishing outcome data to meet demands to demonstrate effectiveness and cost control.

Table 1. Top ten ranking of different groups

	Patient representatives	Nurses/therapists	Trainees	Darzi Fellows	Consultants	Medical Directors
1	Whole person perspective	Impact of personal style	Service development/business planning	Clinical skills/techniques	Formal external courses	Quality improvement
2	Shared decision-making	How to foster a learning culture	Clinical skills/techniques	Quality improvement	National specialty conferences	Communication skills
3	Working effectively in multidisciplinary teams	Emotional intelligence	Supervision	Teamwork	Teaching	Population health/prevention
4	How would I like my mum to be treated?	Leadership	Personal wellbeing	Personal wellbeing	Reading journals	Teamwork
5	Delivering healthcare in the future	Working effectively in multidisciplinary teams	Evidence based medicine	The broader policy environment	Leadership	Clinical skills/techniques
6	Challenging decisions/raising concerns	Building effective relationships	Quality improvement	Population health/prevention	Working effectively in multidisciplinary teams	Teaching

7	Promoting patient self-management	Working with patients and families	Updates from colleagues in other specialties	Managing difficult situations in teams	Research	Risk/complaints
8	Dr/patient relationship/power dynamics	Delivering services differently (across organisational boundaries)	Risk/complaints	Organisational change management	Performance management	IT
9	Communication skills	Accuracy of clinical assessments	Broader policy environment	Collecting and publishing your outcome data	Clinical skills/techniques	Management (for doctors with management responsibilities)
10	Understanding real-world causes of ill health (e.g. housing/poverty). 'Walking in the patient's shoes'	Reflexive practice	Safeguarding	Understanding own working style	Management (for doctors with management responsibilities)	Patient involvement

1 **Changes in the way medicine is practised**

2

3 The responses from all groups reflect changes in the way medicine is practised. For example,
4 respondents wanted to learn more about working, and learning, in multidisciplinary teams. During the
5 nurse and therapist group discussion it was suggested that this should include deferring to other forms
6 of expertise and knowing when to ask for help. A priority for the patient group was for consultant CPD
7 to support ‘shared decision-making’. Nurses listed ‘working with patients and families’ and medical
8 directors listed ‘patient involvement’. Another feature of the contemporary context of practice that was
9 highly rated for inclusion in consultant CPD was risk and complaints. This was a priority for both
10 medical directors and trainees. The patient group listed as one of their priorities learning how to raise
11 concerns and challenge decisions if necessary.

12

13

14 **Personal wellbeing and supporting colleagues**

15

16 ‘Personal wellbeing’ was included in the top ten rankings for trainees and Darzi Fellows, and all groups
17 talked about the importance of doctors’ own wellbeing and their ability to look after themselves.
18 Alongside a managerial concern for learning ‘how to do performance management’, there were also
19 expressions of a professional concern with helping colleagues in difficulty.

20

21

22 **Differences between groups**

23

24 There were some important differences between groups. Patients wanted consultant CPD to engender a
25 whole person perspective. They also suggested that consultant CPD should include providing kind,
26 compassionate and respectful care, captured in the question ‘how would I like my mum to be treated?’
27 Priorities for nurses and therapists included hospital consultants understanding the ‘impact of their
28 personal style’ and developing ‘emotional intelligence’. Other highly rated elements of consultant CPD
29 from this group were knowing ‘how to foster a learning culture’ and ‘reflexive practice’. While a
30 number of groups talked about the importance of prevention and population health in the abstract, the
31 patient group talked about understanding the causes of ill health in terms of the lived experience of
32 patients, or as they called it: ‘walking in the patient’s shoes’.

33

34

35

36

37

1 **Discussion**

2

3 Statement of principal findings

4 We present the ranked priorities for the content CPD for senior doctors, of different groups directly
5 affected by CPD. Drawing on the ranked priorities, the full list of suggestions generated by participants,
6 and group discussion, we identified the following themes: developing and supporting the system of
7 care, addressing changes in the way medicine is practised, and personal wellbeing and supporting
8 colleagues.

9

10 Strengths and weaknesses of the study

11 The value of our research is in asking a range of groups directly affected by CPD, including patients,
12 what should be in consultant CPD. We know of no other similar research. We used a qualitative design
13 and a non-probabilistic sample as our aim was to explore the topic with different groups, identify the
14 needs of staff, reveal the priorities of our participants, and draw together and discuss themes, rather than
15 establish a statistical representation of phenomena.⁶ A limitation of our study is that the sample did not
16 include any specialty or associate specialist doctors, who may face barriers accessing CPD.⁷

17

18 Interpretation of findings in context of wider literature

19 The highest ranking element for medical directors was quality improvement. Recent research has
20 highlighted the important role played by medical directors in quality improvement.² A study of
21 organisations with highly developed approaches to quality improvement found that board-level clinical
22 leaders brought in-depth knowledge and understanding of quality issues and provided the board with
23 meaningful analyses of data. In high performing organisations medical directors, in particular, appear
24 to contribute important translation work, using knowledge and skills drawn from their medical training,
25 or from dedicated training in quality improvement.

26

27 The doctors who participated in our study expressed a responsibility for the wider-system of care.
28 However, in most cases, this was in addition to existing responsibilities, to the patient, and to update
29 technical skills, suggesting an increase in job demands on doctors. Empirical research has found that
30 doctors with management roles may be isolated ‘lone wolves’, and lack organizational support.⁸ It is
31 therefore important for doctors to receive appropriate training and support for additional roles.

32

33 Implications for practice, policy and research

34 The implication of our research, for the providers of CPD, is to consider the balance of the content of
35 CPD. Doctors and other health care professionals need to keep up with scientific advances and technical
36 developments. But in addition they need to be adept at working with the system changes required for
37 translation of research into practice; the development of new ways of working and for the organisational

1 changes that underpin continual quality and safety improvement. Often the types of content outlined as
2 important by our groups are included in short-term, stand-alone “Leadership” or “Management”
3 courses. Perhaps if this type of content was a regular and frequent component of doctors CPD, this
4 would reflect the contemporary experiences and needs of senior doctors, particularly in relation to the
5 management roles held by doctors, and quality improvement. Our findings also support the
6 development and use of innovative learning formats, especially learning from patients and with, and
7 from, other members of the healthcare team. Future research should evaluate the introduction of new
8 forms of CPD from the perspective of staff and patients.

9
10 All groups in our study, including patient representatives, and nurses and therapists, identified doctors’
11 own wellbeing and their ability to look after themselves as an important area for CPD. Work-related
12 stress among doctors is a long-standing issue.⁹ The desire to see support for doctors’ wellbeing among
13 study participants aligns with increasing international recognition of the importance of fostering high
14 quality care through identifying and supporting doctors who are at risk of burnout.^{10,11} The most
15 effective approach to preventing burnout combines individual interventions with organisation and
16 system-level interventions.¹² As doctors take more responsibility for the wider system, the wider system
17 must take more responsibility for the health and wellbeing of doctors.

18 19 20 **References**

- 21
22 1. General Medical Council. Tomorrow’s doctors: Outcomes and standards for undergraduate
23 medical education. London. General Medical Council; 2009.
- 24 2. Jones L, Pomeroy L, Robert G, Burnett S, Anderson JE, Fulop NJ. How do hospital boards
25 govern for quality improvement? A mixed methods study of 15 organisations in England. *BMJ*
26 *Qual Saf* 2017; *bmjqs-2016-006433*.
- 27 3. General Medical Council. Medical Professionalism Matters. General Medical Council; 2016.
- 28 4. Royal College of Physicians. Doctors in society: Medical professionalism in a changing world:
29 Royal College of Physicians; 2005.
- 30 5. Delbecq AL, Van de Ven AH, Gustafson DH. Group techniques for program planning: A
31 guide to nominal group and Delphi processes. Illinois: Scott Foresman; 1975.
- 32 6. Mays N, Pope C. Qualitative research: Rigour and qualitative research. *BMJ* 1995;311:109.
- 33 7. Dashora U, Mukerjee S. Why do SAS doctors fail to take up CPD opportunities? *BMJ* 2015;
34 351:h5799.
- 35 8. Kuhlmann E, Rangitt Y, von Knorring M. Medicine and management: looking inside the box
36 of changing hospital governance. *BMC Health Serv Res* 2016; 16(Suppl 1): 159.
37 <https://doi.org/10.1186/s12913-016-1393-7>

- 1 9. Firth-Cozens J. Emotional distress in junior house officers. *BMJ* 1987; 295(6597):533–536.
- 2 10. Epstein R, Privitera, M. Doing something about physician burnout. *Lancet* 2016; 388:2216-
- 3 2217.
- 4 11. Shanafelt TD, Noseworthy JH. Executive leadership and physician well-being: Nine
- 5 organizational strategies to promote engagement and reduce burnout. *Mayo Clin Proc* 2017; 92
- 6 (1): 129.
- 7
- 8 12. Lemaire J, Wallace J. Burnout among doctors. *BMJ* 2017; 358:j3360.