

## Cerebral Torque in Nonhuman Primates

Ronan, Ella; Winder, Isabelle C.; Shaw, Vivien

Published: 18/12/2019

[Cyswllt i'r cyhoeddiad / Link to publication](#)

*Dyfyniad o'r fersiwn a gyhoeddwyd / Citation for published version (APA):*  
Ronan, E., Winder, I. C., & Shaw, V. (2019). *Cerebral Torque in Nonhuman Primates*.

### Hawliau Cyffredinol / General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### Take down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

# Cerebral Torque in Nonhuman Primates

Ella Ronan, Dr Isabelle Winder, Vivien Shaw

ella\_ronan@hotmail.com @ellronan

## Introduction

Cerebral torque is asymmetry of the frontal and parieto-occipital regions of the brain. Torque and related structural asymmetries have been linked to the development of schizophrenic and affective type psychoses. Recent evidence suggests that cerebral torque is also present in nonhuman primates, leading to the question- 'Do nonhuman primates also suffer from psychosis?'

The aim of this project is to investigate the instance of cerebral torque in apes and monkeys. We have previously tested the hypothesis that these species display apparent psychotic behaviours both in captivity, and in the wild. We are therefore assessing whether or not non human primates also have the same associated anatomical variation in the brain.

## Methods

**Cranial morphometrics** will use CT scans of target species crania. The midline between crista frontalis and confluence of sinuses will be found. MorphoJ software will be used to measure scans for torque.



## Predicted Results

We predict that nonhuman primates will show evidence of torque at the population level.

## Discussion

If cerebral torque exists in ape brains, this shows that associated psychosis is possible. This would imply an ape origin for psychosis that predates *Homo sapiens*.

# Cerebral torque present in nonhuman primates. Abnormal formation suggests psychosis susceptibility.



**Figure 1** Cerebral torque in healthy vs schizophrenia patient. Image from Oertel-Knochel and Linden (2011).

**Table 1** Cerebral asymmetries in great apes. Adapted from Pilcher, Hammock and Hopkins (2001).

Author(s)	Species/Method	Results
Groves & Humphrey (1973)	21 mountain gorillas/skull length	Left half of skull longer
Gannon et al. (1998)	18 chimpanzee cadavers/planum temporale area	Larger left planum temporale
Hopkins et al. (1998)	21 apes MRI/planum temporale volume	Larger left planum temporal
Hopkins and Marino (2000)	19 chimpanzees MRI/frontal and occipital width	Leftward occipital; rightward frontal
Holloway & De La Coste-Lareymondie (1982)	135 ape endocasts/qualitative score of petalias	65 leftward, 26 rightward occipital; 53 rightward, 12 leftward frontal petalia
LeMay (1976)	28 great ape cadaver photos/occipital petalia and width	Rightward occipital petalia; leftward width
Zilles et al. (1996)	9 chimpanzee cadavers/differences in chimerics of hemispheric petalias	No differences in petalias
Yeni-Komishan & Benson (1976)	25 chimpanzee cadavers/sylvian fissure length	Left sylvian fissure longer